


CONTOUR 21

A4131AA

CONTOUR 21 | Basin mixer 61x154x151 mm, 100 mm spout projection in chrome finish, 4.8 l/min (3 bar), no waste | Sequential cartridge, Thermostatic function, Water & Energy savings, SmartShine

Image & drawing

Armitage
Shanks



General information

Product type:	Washbasin mixers
Sub product type:	Basin mixer
Brand:	Armitage Shanks
Suite name:	CONTOUR 21
Designer:	Artefakt
Colour:	AA - Chrome
Surface finish effect:	glossy
Height (mm):	151
Width (mm):	61
Length / Projection (mm):	154
Fixing method:	Shank fixation
Net weight (kg):	2.60
EAN code:	4015413305037

Suitable for use with handrinse basins in public areas and Doc M. Satisfies DDA requirements. Meets the requirements laid out in HTM 64, HTM 04. Single easy use lever operates on/off and temperature control. Eliminates the need for premixed water. Suitable for high and low pressure systems. To ensure system hygiene and user safety the water flow always commences from cold. Traditional backnut fixing for added security. Fits into a standard pillar tap hole. Flow rate stays constant even when temperature setting is changed (providing supply pressure is 1.0 bar or higher). Flow rate limited to a practical economic level irrespective of supply pressure for suitability with high pressure supplies. Thermostatically set to 41°C with single lever to control flow of water. Durable and easy to clean finish. Supplied complete with strainer/check valves and flow limiters. Serviceable from above the basin (once supplies are isolated). Cartridge based system for easy servicing/repair. Regulated to 5 litres per minute maximum. Alternative low pressure outlet option supplied. Unregulated flow rate 5 litres per minute at 0.3 bar.

Features

	Sequential cartridge		Thermostatic function
	Water & Energy savings		SmartShine

Downloads

- [Installation Guide](#)
- [Spare Parts List](#)

Product standard & certifications

Additional standards:	EN 248 DIN 4109-1 EN 1111
WRAS certificate name:	1610048
TMV3 certificate name:	BC1812/1116

Product specifications

Amount of handles:	1
Blue Start technology:	No
Colour code:	AA
Colour description:	chrome

CONTOUR 21

A4131AA

CONTOUR 21 | Basin mixer 61x154x151 mm, 100 mm spout projection in chrome finish, 4.8 l/min (3 bar), no waste | Sequential cartridge, Thermostatic function, Water & Energy savings, SmartShine

Product specifications

Cool Body technology:	No
Easy Fix technology:	No
Handle application:	Volume control
Handle position:	Top
Includes a chain eye:	No
Integrated electronics:	No
Low-pressure model:	No
Material:	Metal
Material of handle:	Metal
Material quality:	Brass
Max. flow rate at 3 bar (l):	4.8
Max. flow rate at 3 bar (l) for all outlets:	4.8
Max. flow rate at 3 bar (l) for spout:	4.8
Max. operating pressure (bar):	10
Min. operating pressure (bar):	0.5
Operating method:	Manual
PVD technology:	No
SmartShine:	Yes
Spout model:	Fixed
Surface cover:	chromium-plated
Surface finish effect:	glossy
Tap outlet model:	Aerator
Tap outlet visibility:	Visible
Tap outlet adjustable:	No
Tap outlet is anti-vandal:	No
Thermostatic:	Yes
Touchless control:	No
Type of handle:	Clinic
Type of temperature control:	Thermostatic
With drain plug:	No
With escutcheon(s):	No
With handle(s):	Yes
With outlet:	Yes
With pull-out spray:	No
With waste set:	No
Fixing method:	Shank fixation
Mounting method:	Tap hole

Your local contact:

België • Belgique

Ideal Standard Produktions GmbH
Ikaroslaan 18
B-1930 Zaventem
☎ +32 2 325 66 00
✉ +32 2 325 66 01
www.idealstandard.be

България

Идеал Стандарт - Видима АД
ул. "Марин Попов" 53
гр. Севлиево, 5400
☎ +359 885 938 880
✉ office@idealstandard.com
www.idealstandard.bg

Česká republika

Ideal Standard s.r.o.
Zemská 623
41574 Teplice
☎ +420 (0)-417-265 11
✉ +420 (0)-417-265 15
www.idealstandard.cz

Hrvatska

Ideal Standard Hrvatska
Lopatinečka ul. 8
10000, Zagreb
☎ +385 91 229 9304
www.idealstandard.hr

Danmark

Ideal Standard Skandinavia ApS
Fynsvej 9
5500 Middelfart (Denmark)
☎ +45 75 84 10 10
www.idealstandard.dk

Deutschland

Ideal Standard GmbH
Euskirchener Straße 80
53121 Bonn
☎ +49 (0)228 521-0
✉ +49 (0)228 521-241
✉ idealstandard.de@idealstandard.com
www.idealstandard.de

Éire

Ideal Standard Éire
2nd Floor, Unit 3103 Lake Drive Citywest
Business Campus Tallaght Dublin 24 YXW2
☎ +353 1 4564525
www.idealstandard.ie

España

Ideal Standard Iberia S.L.U
Riera Principal Nr. 8
08328 Alella (Barcelona - España)
☎ +34 93 561 80 00
www.idealstandard.es

Ελλάδα

Ideal Standard S. A. Γραφεία Αθηνών:
Λ. Μεσογείων 265, 15451 N.
Ψυχικό, Αθήνα
☎ +2106790800
www.idealstandard.gr

France

Ideal Standard France - Siège social
39Rue St. Sabin
75011 Paris
☎ +33 (0)1 49 38 81 34
✉ sav.idealstandard@idealstandard.com
(demandes techniques) /
devis.chantier@idealstandard.com
(demandes commerciales)
www.idealstandard.fr

Italia

Ideal Standard (Italia) Srl
Via Giosuè Borsi 9
20143 Milano, Italia
☎ +39 (0)2 28881
✉ info@idealstandard.it
www.idealstandard.it

Nederland

Ideal Standard Nederland BV
Hambakenwetering 3
5231 DD 's-Hertogenbosch
☎ +31 (0)-77 355 08 08
✉ +31 (0)-77 354 21 86
www.idealstandard.nl

Österreich

Ideal Standard GmbH
Zweigniederlassung Österreich
Erzherzog-Karl-Str. 131-135
1220 Wien Österreich
☎ +43 125 66 222-0
✉ +43 125 66 222-625
www.idealstandard.at

Polska

Ideal Standard Polska
Ul, Ostrowskiego 7
53-238 Wrocław
☎ +48 71 78 68 301
www.idealstandard.po

România

Ideal Standard Representative Office România
Calea Victoriei 109, Etaj 1, Sector 1
București, 010069
☎ +40 746 050 408
✉ officebucharest@idealstandard.com
www.ideal-standard.ro

Srbija

Ideal Standard - Vidima AD
Drinčićeva br.19, I sprat, stan br.8
11000 Beograd Srbija
☎ +381 11 7138 058
www.idealstandard.rs

United Kingdom

Ideal Standard (UK) Ltd
The Bathroom Works National Avenue
Kingston Upon Hull
HU5 4HS
☎ +44 (0)-1482 346 461
✉ +44 (0)-1482 445 886
www.idealstandard.co.uk